

Leveraging Hollywood Set Design Techniques to Enhance Ad Hoc Immersive Display Systems

Jarrell Pair Anton Treskunov Diane Piepol
*Institute for Creative Technologies
University of Southern California
{pair, treskunov, piepol}@ict.usc.edu*

Abstract

Over the past four years, the FlatWorld project [1] at the University of Southern California Institute for Creative Technologies has exploited ad hoc immersive display techniques to prototype virtual reality education and training applications. While our approach is related to traditional immersive projection systems such as the CAVE [2], our work draws extensively upon techniques widely used in Hollywood sets and theme parks. Our first display system, initially prototyped in 2001, enables wide area virtual environments in which participants can maneuver through simulated rooms, buildings, or streets. In 2004, we expanded our work by experimenting with transparent projection screens. To date, we have used this display technique for presenting life size interactive characters with a pseudo-holographic appearance.

1. Digital Flat Displays

Since the dawn of the film industry, movie sets have been constructed using modular panels called “flats”. Set designers use flats to create physical structures to represent a wide variety of places and activities. For example, a flat can be configured to appear as a room wall, a storefront, or a doorway.

FlatWorld is developing a reconfigurable system of “digital flats”. Using large-screen displays and real-time computer graphics technology, a single digital flat can appear as an interior room wall or an exterior building face. Functional doors and windows can also be added to digital flats by constructing physical props that are designed to fit and function in the flat system. For example, by placing a doorframe prop in front of a digital flat, a user can open a real door to view a computer generated view of the world outside.

The FlatWorld approach creates a “mixed reality” blurring the borders between the physical and the virtual elements of a scene. Theme park attractions successfully

employ this technique. For example, the enormously popular “Amazing Adventures of Spiderman” attraction at Universal Studios Islands of Adventure (in Orlando, Florida) uses stereoscopic projection screens tightly integrated with physical building facades, props, and other scenery. The props and screens successfully simulate a cityscape complete with deep alleys and vast building corridors.

Other related work is seen in the “Being There” project [3] at the University of North Carolina at Chapel Hill. In this system, walls of white styrofoam blocks are arranged to reproduce the basic layout of a room. Imagery is front projected onto the styrofoam blocks making these surfaces appear as textured walls with virtual windows and doors.

A single room FlatWorld system was constructed in November 2001. This prototype consists of two digital flats and two real walls (Figure 1). Movable door, window, and broken wall props can reconfigure the room’s appearance. The physical walls and props were constructed by Paramount Studios. The projection walls are coated 3/4” acrylic sheets. A demonstration was developed using real time stereoscopic graphics (Figure 2), immersive audio, and a number of other effects.

Imagery for each digital flat is provided by a custom stereoscopic rear projection system. Projectors are mounted with passive polarizing filters and driven by PC’s. The system’s real time audiovisual content was developed using OpenGL and the DirectSound3D programming library. Strobe lights, overhead fans, and other multi-sensory effects devices are controlled using the X10 home automation protocol.

In 2005, we will expand our prototype system to simulate a multi-room space with both interior and exterior environments. We will fabricate the system’s components as a series of modular units to enable rapid physical and electronic setup. Our goal is a system that can be dismantled and moved among multiple sites.

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2006		2. REPORT TYPE		3. DATES COVERED 00-00-2006 to 00-00-2006	
4. TITLE AND SUBTITLE Leveraging Hollywood Set Design Techniques to Enhance Ad Hoc Immersive Display Systems			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, Institute for Creative Technologies, 13274 Fiji Way, Marina del Rey, CA, 90292			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



Figure 1. User viewing exterior virtual world through a physical door.



Figure 2. Artistic depiction of stereoscopic display in the FlatWorld System.

2. Transparent Screen Projection System

In 2004, we developed a system which can present life-size, interactive virtual characters with a pseudo-holographic appearance (Figure 3). This holographic illusion effect is created by projecting high-resolution real-time graphics onto specialized transparent optical film. Users interact with the character using a speech recognition engine linked to a statistical classifier which generates the character's responses.



Figure 3: Interactive character projection onto a transparent screen creates the illusion of a hologram.

3. Acknowledgements

This paper was developed with funds of the Department of the Army under contract number DAAD 19-99-D-0046. Any opinions, findings and conclusions or recommendations expressed in this paper are those of the authors and do not necessarily reflect the views of the Department of the Army.

4. References

- [1] Pair, Jarrell, Ulrich Neumann, Diane Piepol, and Bill Swartout. "FlatWorld: Combining Hollywood Set Design Techniques with VR." *IEEE Computer Graphics and Applications*. January/February 2003, pp. 12-15.
- [2] Cruz-Neira, C., D. Sandin, T. DeFanti. "Surround- Screen Projection-Based Virtual Reality: The Design and Implementation of the CAVE." In *Computer Graphics Proceedings, Annual Conference Series*, ACM SIGGRAPH, New York 1993. pp.135-142.
- [3] Kok-Lim Low, Greg Welch, Anselmo Lastra, Henry Fuchs. "Life-Sized Projector-Based Dioramas." *Proceedings of the ACM Symposium on Virtual Reality Software and Technology*. November 2001, pp. 93-101.